



ITS TESTING LABORATORY PRIVATE LIMITED

Laboratory: A-114, Sector-80, Phase-II Noida, Gautam Budh Nagar - 201305, (U.P.)
(An ISO 9001: 2015, ISO 14001:2015 & ISO 45001:2018 Certified Laboratory)
Website: www.itslab.in, Email: itrlclab@gmail.com, info@itslab.in, contact@itslab.in
+91 9911659800, 9305780312, 09958849764



Doc. No. – ITS/7.8-01

Report Code: W-170826-90, Page 1 of 4

TEST REPORT

Water Sample Analysis

Report Code: W-170826-90

Issue Date: 24/08/2026

Issued To: M/S. SUJIT AQUA ENTERPRISE

Vill: Jala Dhulagori, P.S: Sankrail, Post Office: Dhulagori, Mouza-2, Dag: 932,
West Bengal - 711302.

SAMPLING & ANALYSIS DATA

Sample Description	:	Packaged Drinking Water Sample
Source of Water	:	Borewell
Sample Drawn On	:	14/08/2026
Sample Drawn By	:	Mr. Pankaj Kumar (ITS Representative)
Batch No.	:	Trial
Brand	:	TITAS
Shelf Life	:	6 Month from DOM
D.O.M	:	12-08-2026
EXP	:	NA
Sampling Plan & Procedure	:	IS:17614 (Part-1):2021
Sample Quantity	:	12 x 1Ltr Pet Bottles
Sample Condition	:	Plastic Packed Good Condition
Weather Condition	:	Clear
Sample Received On	:	17/08/2026
Analysis Duration	:	17/08/2026 To 24/08/2026
Test Specification To Be Used	:	FSSR, 2011 Regulations 2.10.8

TEST RESULTS

1. MICROBIOLOGICAL REQUIREMENT:

RESULTS				
S. No.	Parameter	Test Method	Results	Limits as per FSSR, 2011 Regulations 2.10.8
1.	Escherichia coli, (cfu/250ml)	IS-15185:2016 Ref.2021	Absent	Absent
2.	Coliform Bacteria, (cfu/250ml)	IS-15185:2016 Ref.2021	Absent	Absent

2. ORGANOLEPTIC & PHYSICAL PARAMETERS:

S. No.	Parameter	Test method	Result	Requirement (Acceptable Limit)
1.	Colour, (Hazen)	IS-3025 (P-04)	<1.0	2 Max.
2.	Odour	IS-3025 (P-05)	Agreeable	Agreeable
3.	Taste	IS-3025 (P-08)	Agreeable	Agreeable
4.	Turbidity, (NTU)	IS-3025 (P-10)	<1.0	2 Max
5.	pH value	IS-3025 (P-11)	7.04	6.5-8.5
6.	Total dissolve solids (TDS), (mg/l)	IS-3025 (P-16)	110	75 - 500



Reviewed by
Neha Mourya
(Analyst)

R.K. Singh
Authorized Signatory

Terms & Conditions :

1. Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed as per quality policy.
3. Any complaints about the report should be communicated in writing within 7 days.
4. Total liability of our laboratory is limited to invoiced amount.



ITS TESTING LABORATORY PRIVATE LIMITED

Laboratory: A-114, Sector-80, Phase-II Noida, Gautam Budh Nagar - 201305, (U.P.)

(An ISO 9001: 2015, ISO 14001:2015 & ISO 45001:2018 Certified Laboratory)

Website: www.itslab.in, Email: itlrlab@gmail.com, info@itslab.in, contact@itslab.in

+91 9911659800, 9305780312, 09958849764



TC-11181

Doc. No. – ITS/7.8-01

Report Code: W-170826-90, Page 2 of 4

3. GENERAL PARAMETERS CONCERNING SUBSTANCES UNDESIRABLE IN EXCESSIVE AMOUNTS:

S. No.	Parameter	Test method	Result	Requirement (Acceptable Limit)
1.	Total Alkalinity (as CaCO ₃), (mg/l)	IS: 3025 (P- 23)	38.0	200 Max
2.	Sulphate (as SO ₄), (mg/l)	IS: 3025 (P- 24)	<1.0	200 Max
3.	Calcium (as Ca), (mg/l)	IS: 3025 (P- 40)	11.6	10- 75
4.	Chloride (as Cl), (mg/l)	IS: 3025 (P- 32)	32.0	200 Max
5.	Fluoride (as F), (mg/l)	IS:3025(P-60,Sec-1)	<0.1	1.0 Max
6.	Residual Free Chlorine, (mg/l)	IS: 3025 (P-26)	<0.1	0.2 Max
7.	Iron (as Fe), (mg/l)	IS: 3025 (P-53)	<0.1	0.1 Max
8.	Magnesium (as Mg), (mg/l)	IS: 3025 (P-46)	6.14	5 - 30
9.	Nitrate (as NO ₃), (mg/l)	IS:3025 (P-34,Sec-1)	<0.1	45 Max
10.	Copper (as Cu), (mg/l)	IS : 3025 (P-42)	<0.05	0.05 Max
11.	Manganese (as Mn), (mg/l)	IS:3025 (P-59)	<0.1	0.1 Max
12.	Selenium (as Se), (mg/l)	IS: 3025 (P- 56)	<0.01	0.01 Max
13.	Anionic surface Detergents (as MBAS), (mg/l)	IS: 3025 (P-68)	<0.1	0.2 Max
14.	Sulphide (as H ₂ S), (mg/l)	IS-3025 (P-29)	<0.05	0.05 Max
15.	Zinc (as Zn), (mg/l)	IS: 3025 (P- 49)	<0.05	5.0 Max
16.	Phenolic Compound (as C ₆ H ₅ OH), (mg/l)	IS:3025(P-43,Sec-1)	Absent	Absent
17.	Aluminum (as Al), (mg/l)	IS: 3025 (P- 55)	<0.01	0.03 Max
18.	Nitrite (as NO ₂), (mg/l)	IS: 3025 (P- 34)	<0.02	0.02 Max
19.	Sodium (as Na), (mg/l)	IS: 3025 (P- 45)	14.4	200 Max
20.	Mercury (as Hg), (mg/l)	IS: 3025 (P- 48)	<0.001	0.001 Max
21.	Cadmium (as Cd), (mg/l)	IS: 3025 (P- 41)	<0.001	0.01 Max
22.	Arsenic (as As), (mg/l)	IS: 3025 (P- 37)	<0.01	0.05 Max
23.	Cyanide (as CN), (mg/l)	IS: 3025 (P- 27)	Absent	Absent
24.	Lead (as Pb), (mg/l)	IS: 3025 (P- 47)	<0.01	0.01 Max
25.	Chromium (as Cr), (mg/l)	IS: 3025 (P- 52)	<0.05	0.05 Max
26.	Mineral Oil, (mg/l)	IS:3025 (P-39)	Absent	Absent
27.	Nickel (as Ni), (mg/l)	IS:3025 (P- 54)	<0.02	0.02 Max
28.	Poly Nuclear Aromatic Hydrocarbons, (mg/l)	APHA 6440	BDL	Not Detectable
29.	Poly chlorinated biphenyl, (mg/l)	IS:13428, Annex M	BDL	Not Detectable

Reviewed by
Neha Mourya
(Analyst)

Authorized Signatory

Terms & Conditions :

1. Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed as per quality policy.
3. Any complaints about the report should be communicated in writing within 7 days.
4. Total liability of our laboratory is limited to invoiced amount.



ITS TESTING LABORATORY PRIVATE LIMITED

Laboratory: A-114, Sector-80, Phase-II Noida, Gautam Budh Nagar - 201305, (U.P.)

(An ISO 9001: 2015, ISO 14001:2015 & ISO 45001:2018 Certified Laboratory)

Website: www.itslab.in, Email: itrlclab@gmail.com, info@itslab.in, contact@itslab.in

+91 9911659800, 9305780312, 09958849764



TC-11181

Doc. No. – ITS/7.8-01

Report Code: W-170826-90, Page 3 of 4

4. PESTICIDE RESIDUAL ANALYSIS:

S.NO.	Parameter	Test Method	Result	Limits (mg/l)
1.	Aldrin, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
2.	Dieldrin, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
3.	o,p DDT, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
4.	p,p DDT, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
5.	o,p DDE, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
6.	p,p DDE, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
7.	o,p DDD, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
8.	p,p DDD, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
9.	Alpha HCH, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
10.	Beta HCH, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
11.	Delta HCH, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
12.	Gamma-HCH (Lindane), (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
13.	Alpha Endosulfan, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
14.	Beta Endosulfan, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
15.	Endosulfan Sulphate, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.

The detection limit of individual pesticide is 0.01 µg/l


Reviewed by
Neha Mourya
(Analyst)


Authorized Signatory

Terms & Conditions :

1. Test reports are valid only for the samples tested in our laboratory. 2. Samples will destroyed as per quality policy.
3. Any complaints about the report should be communicated in writing within 7 days.
4. Total liability of our laboratory is limited to invoiced amount.



ITS TESTING LABORATORY PRIVATE LIMITED

Laboratory: A-114, Sector-80, Phase-II Noida, Gautam Budh Nagar - 201305, (U.P.)

(An ISO 9001: 2015, ISO 14001:2015 & ISO 45001:2018 Certified Laboratory)

Website: www.itslab.in, Email: itrlclab@gmail.com, info@itslab.in, contact@itslab.in

+91 9911659800, 9305780312, 09958849764

Doc. No. – ITS/7.8-01

Report Code: W-170826-90, Page 4 of 4

5. GENERAL PARAMETERS CONCERNING SUBSTANCES UNDESIRABLE IN EXCESSIVE AMOUNTS:

S. No.	Parameter	Test method	Result	Requirement (Acceptable Limit)
1.	Silver (as Ag), (mg/l)	Annex J IS:13428	<0.01	0.01 Max
2.	Barium (as Ba), (mg/l)	IS: 15302	<0.1	0.7 Max
3.	Antimony (as Sb), (mg/l)	IS:15303	<0.005	0.005 Max
4.	Borates (as B), (mg/l)	IS:13428, Annex H	<0.1	5 Max
5.	Bromates (as BrO ₃), (mg/l)	APHA 4110-D	< 0.01	0.01 max
6.	Uranium (as U), (mg/l)	IS:3025 (P- 65)	BDL	0.03 Max

6. RESIDUAL ANALYSIS:

S. No.	Parameter	Test Method	Result	Limits (mg/l)
1.	Alachlor, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
2.	Atrazine, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
3.	Monocrotophos, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
4.	Ethion, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
5.	Chlorpyrifos, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
6.	Phorate, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
7.	Phorate Sulphonide, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
8.	2,4-Dichlorophenoxy Acetic acid, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
9.	Butachlor, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
10.	Isoproturon, (mg/l)	USEPA-532	BDL	0.0001 Max.
11.	Malathion, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
12.	Malaoxon, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
13.	Methyl parathion, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
14.	Methyl Paraoxon, (mg/l)	USEPA-Method 8270E	BDL	0.0001 Max.
15.	Total Pesticides, (mg/l)	USEPA-Method 8270E	BDL	0.0005 Max

7. MICROBIOLOGICAL REQUIREMENT:

RESULTS				
S.No.	Parameter	Test Method	Results	Limits
1.	Faecal Streptococci, (cfu/250ml)	IS:5887 (P-2) 1976 reaff. 2022	Absent	Absent
2.	Staphylococcus aureus, (cfu/50ml)	IS:5887 (P-2) 1976 reaff. 2022	Absent	Absent
3.	Sulphite reducing anaerobes, (cfu/50ml)	IS:13428 Annex. C 2024	Absent	Absent
4.	Pseudomonas aeruginosa, (cfu/50ml)	IS:13428 Annex. D 2024	Absent	Absent
5.	Aerobic Microbial Count (Incubation period 24 hrs at 37°C), (cfu/ml)	IS:5402:2021	6	NMT 20
6.	Aerobic Microbial Count (Incubation period 72 hrs at 22°C), (cfu/ml)	IS:5402:2021	16	NMT 100
7.	Yeast & Mould, (cfu/250ml)	IS:5403:1999	Absent	Absent
8.	Salmonella sp., (cfu/250ml)	IS:15187:2016 reff. 2021	Absent	Absent
9.	Shigella sp., (cfu/250ml)	IS:5887 (P-7):2022	Absent	Absent
10.	Vibrio cholera, (cfu/250ml)	IS:5887 (P-5):2023	Absent	Absent
11.	Vibrio Parahaemolyticus, (cfu/250ml)	IS:5887 (P-5):2023	Absent	Absent

Remarks – Test sample complies to FSSAI Regul. Cl.2.10.8 for tested parameters only & fit for human consumption.

BDL: Below Detection limit.

Note: - Report shall not be produce except in full without approval of the laboratory

R.K. Singh

Authorized Signatory

Reviewed by

Neha Mourya

(Analyst)

1. Test reports are valid only for the samples tested in our laboratory. 2. Samples will destroyed as per quality policy.

3. Any complaint the report should be communicated in writing within 7 days.

4. Total liability of our laboratory is limited to invoiced amount.

End of Report